

Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Odorx® Bad Odor Block Lemon Lime
Product code: LG-F1013
Recommended Use: Professional Deodorizer

Supplier Legend Brands
ProRestore Products
15180 Josh Wilson Road
Burlington, WA 98233
Phone: 800-932-3030

Emergency telephone number INFOTRAC 1-800-535-5053 (North America)
1-352-323-3500 (International)

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4	H227: Combustible liquid
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4	H227: Combustible liquid
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)
Hazard pictograms



Signal Word: Danger

Hazard statements

H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235
P264
P272
P273

Keep cool
Wash hands thoroughly after handling
Contaminated work clothing should not be allowed out of the workplace
Avoid release to the environment

Response:

P301 + P310 + P331
induce vomiting
P302 + P352
P304 + P312
P305 + P351 + P338

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT

IF ON SKIN: Wash with soap and water
IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
If skin irritation or a rash occurs: Get medical advice/attention
If eye irritation persists: Get medical advice/attention
Take off contaminated clothing and wash before reuse
Wash contaminated clothing before reuse
In case of fire: Use Carbon dioxide (CO₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
Collect Spillage

P333 + P313
P337 + P313
P362
P363
P370 + P378

P391

2.3 Other Hazards
no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Liquid components embedded in wood fiber substrate.

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
68647-72-3 <i>Citrus aurantium var. dulcis</i>	232-433-8	10 - 20 %	H226, H304, H315, H317, H400, H410	12, 3, 31
8007-35-0 <i>Terpineol acetate</i>	232-357-5	5 - 10 %	H316, H401, H411	11
8008-57-9 <i>Citrus aurantium dulcis (Orange) oil</i>	232-433-8	5 - 10 %	H226, H304, H315, H400, H410	12, 3, 31
98-55-5 <i>alpha-Terpineol</i>	202-680-6	5 - 10 %	H227, H303, H315, H319, H401	11, 15, 23
106-25-2 <i>Nerol</i>	203-378-7	2 - 5 %	H303, H315, H317, H319, H402	15
68956-56-9 <i>Hydrocarbons, terpene processing by-products</i>	273-309-3	1 - 2 %	H226, H304, H315, H401, H411	12, 16, 23, 31
32210-23-4 <i>4-tert-Butylcyclohexyl acetate</i>	250-954-9	1 - 2 %	H303, H316, H317, H401, H411	11, 15
99-87-6 <i>p-Cymene</i>	202-796-7	1 - 2 %	H226, H303, H304, H316, H401, H411	11, 15
51566-62-2 <i>Citronellyl nitrile</i>	257-268-8	1 - 2 %	H227, H303, H402	
68855-99-2 <i>Litsea cubeba fruit oil</i>	290-018-7	1 - 2 %	H227, H411	12, 15, 31, 4

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 25.23

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

Physical state Liquid impregnated fiber block	Odor and appearance Brown colored fiber block, odor: Lemon lime	
Solubility in water insoluble	Vapor pressure (mm Hg) 0.4406	Vapor density (Air=1) not available
Evaporation (butyl acetate = 1) not available	Flash point 147 F (63.89 C)	VOC: 16%
Flammability limits in air, lower, % by volume 40 g/m ³ for wood dust	Auto-ignition temperature 399.2 - 500 °F (204.4 - 260 °C) for wood	

10. Stability and Reactivity

10.1 Reactivity

None

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

None known

10.4 Conditions to avoid

None known

10.5 Incompatible materials

Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products

None known

11. Toxicological Information

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 5,148.59) Not classified - the classification criteria are not met

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,965.91) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 27.10) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity Not classified - the classification criteria are not met

Reproductive toxicity Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Not classified - the classification criteria are not met

Chronic aquatic toxicity Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Considerations

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

DOT Not regulated

IMDG Not regulated

IATA Not regulated

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR (EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning No Warning required

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk

(2.61) Aspiration Hazard, Category 1

(2.30) Sensitization, Skin, Category 1B

(9.41) Aquatic Chronic Toxicity, Category 2

(TFV) Risk

(3.52) Skin Corrosion/Irritation, Category 2

(2.11) Eye Damage/Eye Irritation, Category 2A

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Material Safety Data Sheet